

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|------------------------------|------------------|---------|---------------------|
| L1 | 1 | 10/761124 | US-PGPUB; USPAT | OR | ON | 2008/06/16 13:49 |
| L2 | 1 | "4937152".pn. | US-PGPUB; USPAT | OR | ON | 2008/06/16 13:49 |
| L3 | 3164 | 429/12-46.ccls. and (sofc solid adj oxide) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:01 |
| L4 | 331 | 3 and (electrolyte electrolytic) near4 (seal\$3 insulat\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:04 |
| L5 | 1 | 3 and (rough roughen roughening roughing) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate") with (seal \$3 insulat\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:33 |
| L6 | 5 | 3 and (rough roughen roughening roughing) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate") | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:33 |
| L7 | 18 | 3 and (rough roughen roughening roughing) with (seal\$3 insulat \$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:36 |

| | | | | | | |
|-----|----|---|------------------------------|----|----|---------------------|
| L8 | 17 | 7 not (6 5) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:36 |
| L9 | 1 | 3 and (rough roughen roughening roughing roughness) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate") with (seal \$3 insulat\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:38 |
| L10 | 24 | 3 and (rough roughen roughening roughing roughness) with (seal\$3 insulat \$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:44 |
| L11 | 25 | 3 and (rough roughen roughening roughing roughness) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate") | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:44 |
| L12 | 20 | 11 not 6 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 14:47 |
| L13 | 0 | 3 and plasma near4 spray\$3 with (rough roughen roughness roughening roughing) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:36 |

| | | | | | | |
|-----|-----|--|------------------------------|----|----|---------------------|
| L14 | 2 | 3 and plasma near4 spray\$3 same (rough roughen roughness roughening roughing) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:36 |
| L15 | 602 | plasma near4 spray\$3 with (rough roughen roughness roughening roughing) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:37 |
| L16 | 55 | plasma near4 spray\$3 with (rough roughen roughness roughening roughing) with (adhes\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:38 |
| L17 | 2 | 16 and "429". clas. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:38 |
| L19 | 0 | 17 not 17 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:39 |
| L20 | 53 | 16 not 17 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/06/16 15:39 |

6/16/2008 5:21:09 PM

C:\Documents and Settings\ewang\My Documents\EAST\Workspaces\10761124
(2) - method of sealing.wsp